

DESTILATORI VODE

Water Stills WS 4000 / WS 8000




Specifikacija	WS 4000	WS 8000
Protok destilata	cca 4 l/h	Cca 7,5-8 l/h
Vodljivost destilirane vode (20 °C)	cca 1,5 μ S/cm	cca 1,5 μ S/cm
Grijač:	3 KW	6 KW
Material unutrašnjosti	Nehrđajući čelik	Nehrđajući čelik
Sigurnost	Zaštita od pregrijavanja te niske razine vode	Zaštita od pregrijavanja te niske razine vode
Kataloški broj	BOE 8703600	BOE 8707500
CIJENA	8.500,00 kn + PDV	10.230,00 kn + PDV

DESTILATORI VODE Tank 4000 / 8000 sa spremnikom



Specifikacija:	Tank 4000	Tank 8000
Protok destilata	cca 4 l/h	cca 8 l/h
Kapacitet spremnika:	8 l.	16 l.
Vodljivost destilirane vode (20 °C)	cca 1,5 μ S/cm	cca 1,5 μ S/cm
Snaga:	3000 W	6000 W
Material unutrašnjosti	Nehrđajući čelik	Nehrđajući čelik
Sigurnost	Zaštita od pregrijavanja te niske razine vode	Zaštita od pregrijavanja te niske razine vode
Kataloški broj	BOE 8704500	BOE 8708000
CIJENA	12.040,00 kn + PDV	14.620,00 kn + PDV



BOECO Mini Centrifuge M-6

- maksimalna brzina: / RCF: 6.000 rpm / 2000 x g
- razina buke:: 50 dB(A)
- dimenzije mm: 175 x 148 x 118
- u paketu sa: 6 x 1,5/2,0ml kutnim rotorom, 2 x 8 x 0,2ml strip rotorom i "slide" rotorom
- rad centrifuge započinje sa zatvaranjem poklopca
- otvaranjem automatski započinje usporavanje i kraj rada uređaja
- mini centrifuga idealna za brzi spin down



CIJENA: 1.200,00 kn + PDV

BOECO PH/ORP/TEMP BENCH TOP METER MODEL BT-700

Specifikacija	
pH Raspon	-2 do 16,00 pH
Rezolucija	0.01 pH
Točnost	± 0,01
mV Raspon	-1999,9 do 1999,9 mV
Rezolucija	0,1 mV
Točnost	± 0,5 %
Temperaturni raspon	-10 do 120,0°C
Raspon	0,1°C
Točnost	±0,2°C
Napajanje	6 x 1,5 Volt AAA baterije ili AC adapter
Kataloški broj	BOE 5196700
Cijena	3.290,00 kn + PDV




MODEL BT-700 bez elektrode u setu sa:
-držačem elektrode
-pH puferima
pH 4,01 x 1 (500 mL) & pH 7,00 (500 mL)

ELEKTRODE



BOE 5190600	Basic pH combination electrode BA ECO, plastic PC shaft, gel electrolyte		440,00 kn
	0...14 pH, 0...80°C, with BNC plug, 1 m cable., glass sensor		
BOE 5095695	Basic pH combination electrode BA 25, Noryl plastic shaft, gel electrolyte		770,00 kn
	0...14 pH, -5...80°C, with BNC plug, 1 m cable., fibre diaphragm		
BOE 5095626	Basic pH combination electrode BA 17, glass shaft, liquid electrolyte		950,00 kn
	0...14 pH, 0...100°C, with BNC plug, 1 m cable.		
	with leak proof refill opening, platinum diaphragm		



pH pufer otopine

TECHNICAL BUFFER SOLUTIONS – 500 mL

KATALOŠKI BROJ	OPIS	CIJENA
BOE 104000	pH 4,00 (20°C)	60,00 kn
BOE 107000	pH 7,00 (20°C)	60,00 kn
BOE 110000	pH 10,00 (20°C)	60,00 kn



SET ZA MEMBRANSKU FILTRACIJU

<https://www.rocker.com.tw/product-3.asp?ser=692&ser2=Laboratory%20Filtration>

Set za membransku filtraciju s jednim mjestom
ROCKER 300 – LF-SS kompletan set uključuje:
Rocker 300 bezuljna vakuum pumpa
LF 30 filtracijski set sa 1200ml bocom za otpad
Glass Fiber Discs filteri (47mm, 1µm), 100kom
1m silikonsko crijevo



Značajke:

Nema zagađenja zraka, bez održavanja vakuum pumpe

Filtracijski set je napravljen od PES materijala. (PES struktura omogućava otpornost do 180°C i može se autoklavirati)

Patentirani“ spin-lock“ dizajn, nema potrebe za klasičnim hvataljkama



CIJENA: 3.900,00 kn + PDV



UREĐAJ ZA PROIZVODNJU ULRAČISTE VODE ASTM I

OMNIA TAP 6

Serijski uređaj – tip vode ASTM I + ASTM II



OmniaTap je idealan sustav ukoliko imate potrebe za čistom i ultračistom vodom. Mogućnost da se iz istoga sustava proizvedu oba tipa pročišćene vode, rezultat je kombinacija ultramoderne tehnologije pročišćavanja.

Pritiskom na digitalni dispensor, doziramo ultračistu vodu tipa ASTM I.

Recirkulacija vode koja se nalazi u integriranom spremniku od 10 L, konstantno održava vodu kvalitete tipa ASTM II.

Spremnik također posjeduje otvor kojim OPCIONALNO imate pristup vodi tipa ASTM II

Karakteristike:

OptiFill dispensor dolazi standardno u paketu
spajanje direktno na vodovodnu vodu
ugrađen spremnik od 10 L
popunjenost spremnika prikazuje se postotno na displayu
potrošeni filteri brzo i jednostavno se mijenjaju
ugrađen senzor curenja (leak sensor)
precizna kontrola volumena

ASTM I

Konduktivnost (el vodljivost) $\mu\text{S/cm}$ 0,055

Otpor (M Ohm x cm) 18,2

TOC *– ppb 5-10

Dispenziranje l/min do 2

Čestice**/ mL <1

Bakterije *** CFU/mL <0,1



EDUKACIJA ZA RAD GRATIS

DOSTAVA GRATIS


INSTALACIJA GRATIS

PROMO CIJENA: 23.205,00 kn + PDV



KATALOŠKI BROJ: 18200051

<https://www.stakpure.de/en/home/>



KemoLab d.o.o.

Adresa: Nadinska 11, 10000 Zagreb, 01/ 660-5233



EEADAM[®]
THE RIGHT BALANCE
SPEED | PERFORMANCE | VALUE



Antivibracijski stol

CIJENA: 7.040,00 kn

Vrhunska kvaliteta

Lagana montaža

BEZ PIJESKA!!!

GRATIS DOSTAVA!!!

2 godine jamstva

<https://www.adamequipment.co.uk/anti-vibration-table>



Kat. Br: 104008036

**Ukupne dimenzije:
800 x 600 x 782 mm**

**Dimenzije radne plohe:
400 x 450 mm**


Lagano podesiv aluminijski okvir

Granitna ploča otporna na ogrebotine

Nivelirajuće nogice podesive za neravne podloge



**DODATNO: UZ KUPLJENI STOL NA SVAKU ANALITIČKU,
TEHNIČKU I
PRECIZNU VAGU NUDIMO 25% POPUSTA**



KemoLab d.o.o.

Adresa: Nadinska 11, 10000 Zagreb, 01/ 660-5233



ADAM[®]
THE RIGHT BALANCE
SPEED | PERFORMANCE | VALUE



Core® Portable Compact Balances: CQT 202

CIJENA: 1.290,00 kn



- kapacitet: 200 g
- očitanje: 0.01g
- ponovljivost: 0.01g
- ponovljivost: +/- 0.02 g
- mjerna ploha: promjer 120 mm
- jedinice mjerenja: kg / g / lb / oz / ct / dr / GN / N / t l T
- vrijeme stabilizacije: 3 sekunde
- eksterna kalibracija
- dimenzije zaštitnoga štita: 132mm ø x 100 mm visine
- dimenzije vage: 170 x 245 x 80 mm

<https://www.adamequipment.co.uk/cqt-202>



Core® Portable Compact Balances: CQT 601

CIJENA: 976,00 kn




- kapacitet: 600g
- očitanje: 0.1g
- ponovljivost: 0.1g
- linearnost: 0.1g
- mjerna ploha: fi 120mm
- jedinice mjerenja: kg / g / lb / oz / ct / dr / GN / N / t l T
- vrijeme stabilizacije: 2 sekunde
- napajanje: 12VAC @ 150mA adapter ili 6x AA baterije
- rad pri temperaturama: 0°C do 40°C



<https://www.adamequipment.co.uk/cqt-601>





KemoLab d.o.o.

Adresa: Nadinska 11, 10000 Zagreb, 01/ 660-5233

Luna Analytical Balances

ADAM[®]
THE RIGHT BALANCE
SPEED | PERFORMANCE | VALUE

Performance and style for an impressive weighing experience

- ❖ USB i RS-232 sučelja pružaju brzu komunikaciju s računalima i pisačima
- ❖ Funkcija zadržavanja zamrzava prikazanu težinu, dopuštajući vrijeme da protekne bez gubitka rezultata
- ❖ Brojanje dijelova s unaprijed zadanim veličinama uzorka
- ❖ Ispisi uključuju datum i vrijeme za praćenje podataka unutar smjernice dobre laboratorijske prakse (GLP)
- ❖ Digitalno filtriranje koje se može odabrati za dinamičko / životinjsko vaganje omogućuje dosljedne rezultate za subjekte u pokretu
- ❖ Automatsko isključivanje radi uštede energije



WARRANTY
36
MONTHS




APLIKACIJE

- vaganje
- brojanje komada
- postotno vaganje
- kontrolno vaganje
- brojanje komada
- akumulacija
- određivanje gustoće
- formulacije

<https://www.adamequipment.co.uk/lab-84i>

MODEL	KAPACITET	OČITANJE	AKCIJSKA CIJENA
LAB 84i	80 g	0,0001 g	6.392,00



Mini-Centrifuge/Vortex

FVL-2400N Combi-Spin



Mini centrifuga/vortex:

Uređaj idealan za rad u mikrobiološkim, biokemijskim, kliničkim te industrijskim biotehnološkim laboratorijima.

FVL-2400N omogućuje simultano miksanje i separaciju uzoraka.

Posjeduje zaštitni mehanizam koji zaustavlja rad kada je otvor centrifuge/vortexa otvoren.

Kat.br.: BS-010202-AAA

CIJENA: 2.079,00 kn + PDV



Specifikacija:

- fiksna rotaciona brzina: 2,800 rpm / maksimalna RCF: 450 × g - 3,500 rpm / maksimalna RCF: 700 × g
- sigurnost: zaustavljanje prilikom otvaranja otvora
- ukupne dimenzije: 190 × 235 × 125 mm
- masa: 1,7 kg

Rotori:

GRATIS


-R-0.5/0.2 : 12 × 0.5 ml i 12 × 0.2 ml mikrotubice – kapacitet 24 kom

-R-1.5 : 12 × 1.5 ml mikrotubice – kapacitet 12 kom



2 GODINE JAMSTVA





Kat.br: BS-010210-TAH

MSV-3500 Multi Speed Vortex

SV-3500 sa 4 platforme (SV-16/8, SV-10/10, SV-8/15, SV-4/30)

Raspon kontrole brzine 300–3,500* rpm

* zavisno o opterećenju

Namještanje vremena 0–60 min / non-stop

Display LCD, 2 x 16 znakova

Vrijeme ubrzanja 3 sekunde

Orbita 4 mm

Maksimalno opterećenje 0.2 kg

Maksimalni neprekidni rad 8 sati

Dimenzije 180x170x145 mm

Masa 2.6 kg

Mikroprocesorska kontrola brzine i vremena.

LCD display prikazuje 2 linije vrijednosti: postavljenu i trenutnu vrijednost vremena i brzine

2 GODINE JAMSTVA



CIJENA: 2.999,99 kn + PDV

<https://biosan.lv/products/-msv-3500-multi-speed-vortex/>

GRATIS Platforme uključene:

SV-4/30 - platform for 4 x 50 ml (30 mm) tubes



SV-10/10 - platform for 10 x 10 ml (12 mm) tubes

SV-16/8 - platform with 16/8/8 sockets for


1.5/0.5/0.2 ml microtest tubes



SV-8/15 - platform for 8 x 15 ml (16 mm) tubes



Medical-Biological
Research & Technologies



LMC-4200R stolna centrifuga sa hlađenjem

BS-010212-AAA

Moderna centrifuga dizajnirana za rad sa mikrotitarskim pločicama i tubama od 10 do 50 ml

Izrazito efektan način ubrzavanja i sporavanja (vrijeme ubrzavanja 15 sekundi / vrijeme usporavanja: ne veće od 30 sekundi)



CIJENA: 22.059,00 kn + PDV



Specifikacija

- raspon kontrole temperature: -10°C ... $+25^{\circ}\text{C}$
- raspon regulacije brzine za tubice: 100–4,200 rpm ($3,370 \times g$)
- raspon regulacije brzine za mikrotitarske pločice: 100–2,000 rpm ($560 \times g$)
- namještanje brzine u rasponu od 100 rpm
- sigurnost: dijagnostika rotora izvan balansa sa prikazom "IMBALANCE" upozorenja te automatskim zaustavljanjem
- LCD display: 2 linije
- digitalno namještanje vremena: 1–90 min (pomak 1 min)
- promjer komore: 335 mm
- dimenzije: 635 × 580 × 335 mm




Medical-Biological
Research & Technologies

<https://biosan.lv/products/lmc-4200r/>

Optional Accessories:

R-2, Rotor for 2 microtest plates	1.450,00 kn
AP-96, 2 adapters for 96-well semi-skirted and non-skirted PCR plates	740,00 kn
R-12/15, Rotor for 12 x 15 ml tubes	1.560,00 kn
R-6, Rotor (metal) for 6 x 50 ml tubes	2.860,00 kn
R-6P, Rotor (POM Kocetal) for 6 x 50 ml tubes	2.490,00 kn
R-24GC, Rotor for 24 gel-cards	2.940,00 kn
RR-U, Rotor holder	190,00 kn
R-12/10, Rotor for 12 x 10-15 ml tubes	1.230,00 kn
R-24/10, Rotor for LMC-4200R for 24 x 10-15 ml tubes,	1.940,00 kn
Optional Accessories for R-12/10 or R-24/10 rotor:	
BN-13/75, set of 12 pcs. buckets for 13x75 mm tubes (e.g.2-5ml vacutainers)	1.080,00 kn
BN-13/100, set of 12 pcs. buckets	1.080,00 kn
BN-16/100, set of 12 pcs. buckets for 16x100 mm tubes (e.g.8-9 ml vacutainers)	1.190,00 kn





CH-100 Heating/Cooling Dry Block

Kat.br: BS-010410-UA1

<https://biosan.lv/products/-ch-100-heatingcooling-dry-block/>

U setu sa ugrađenim blokom za 20 x 2 ml microtube

Temperaturni raspon -10°C ... $+100^{\circ}\text{C}$

Namještanje temperature 30°C ispod ambientalne ... $+100^{\circ}\text{C}$

Temperaturna rezolucija 0.1°C

Temperaturna stabilnost $\pm 0.1^{\circ}\text{C}$

Namještanje vremena 1 min – 96 sati / non-stop (pomak 1 min)

Display LCD, 2 x 16znakova

Dimenzije 240 x 260 x 165 mm

Masa 3.2 kg




Medical-Biological
Research & Technologies



CIJENA: 5.850,00+ PDV



HEAT UP AND COOL DOWN TIMES FOR CH-100





ZAŠTITNI KABINETI ZA ZAŠTITU VAŠIH UZORAKA

EDUKACIJA ZA RAD GRATIS



CIJENA: VEĆ OD 9.999,99 kn



DOSTAVA GRATIS



INSTALACIJA GRATIS


MIKROBIOLOŠKI ZAŠTITNI KABINETI KLASA II ZA ZAŠTITU KORISNIKA I VAŠIH UZORAKA



CIJENA: VEĆ OD 35.615,00 kn



<https://e-alpina.eu/>



DISTRIMAN Repetitive Pipette

-Distriman je pipeta koja radi na principu pozitivnog istisnuća, ponovljivo prilagodljivog volumena sa svrhom da pojednostavljuje višekratno pipetiranje

-volumen: od 1µl do 1.25mL

-direktno očitavanje.

-preko 100 alikvota može se otpipetirati iz svake šprice

-DistriTips nastavci su polipropilenske šprice sa indikatorom nivoa kapljevine

-samo tri vrste ovih nastavaka su potrebne da pokriju cijeli raspon volumena

-dostupni su i sterilizirani nastavci

-mogućnost pipetiranja većine kapljevine, uključujući i viskozne i lako hlapive (plazma, krv, ulja, kreme, glicerol itd.) bez opasnosti od kontaminiranja pipete


 **GILSON®**

PROMO CIJENA:
1.520,00 kn + PDV

PROMO

**Uz naručenu pipetu, nudimo specijalan
popust i na nastavke**





KemoLab d.o.o.

Adresa: Nadinska 11, 10000 Zagreb, 01/ 660-5233

GILSON® DISPENSMAN



Accurate and Reproducible Dispensing
Safe and Easy to Use
Flexible



-20%

U POTPUNOSTI AUTOKLAVABILNI

BEZ GUBITAKA TEKUĆINE (anti drip sistem)




**promotivna
akcija**



Kataloški broj	Raspon volumena	Redovna cijena	Akcijska cijena
F110101	0,25 – 2,5 mL	2.190,00	1.752,00 kn
F110102	0,5-5 mL	2.190,00	1.752,00 kn
F110103	1- 10 mL	2.190,00	1.752,00 kn
F110104	2,5-25 mL	2.720,00	2.176,00 kn
F110105	5 – 50 mL	3.230,00	2.584,00 kn

<https://www.gilson.com/default/dispensman.html>



GILSON PIPETMAN L

Gilsonov Pipetman je najpouzdanija pipeta, prema izjavama korisnika, s obzirom na kvalitetu materijala i vijek trajanja:

Drška neosjetljiva na zagrijavanje

Kemijski otporna (PVDF materijal - jedinstveno za Gilson)

Čestice prašine se ne lijepe za držače nastavaka

Klipovi su od nehrđajućeg čelika (umjesto krhke keramike)

Kompletna pipeta se može autoklavirati

Moguća je kemijska dekontaminacija

Pipeta kojom pipetiranje vršite s ekstremno malenom upotrebom snage

Mogućnost sigurnosnog zaključavanja volumena.

Mogućnost kontrole slijedivosti pomoću 2D koda.

Izbacivač nastavaka prilagodljiv i ljevacima i dešnjacima

Gravimetrijskom metodom mogućnost baždarenja pipeta


Svi dijelovi na pipeti su zamjenjivi

-25%

-25%

Kataloški broj	Raspon volumena	Redovna cijena	Akcijska cijena
FA10001M	od 0.2µl do 2µl	1.890,00 kn	1.417,50 kn
FA10002M	od 1µl do 10µl	1.890,00 kn	1.417,50 kn
FA10003M	od 2µl do 20µl	1.890,00 kn	1.417,50 kn
FA10004M	od 10µl do 100µl	1.890,00 kn	1.417,50 kn
FA10005M	od 20µl do 200µl	1.890,00 kn	1.417,50 kn
FA10006M	od 100µl do 1000µl	1.890,00 kn	1.417,50 kn
FA10007	od 500µl do 5000µl	1.890,00 kn	1.417,50 kn
FA10008	od 1ml do 10ml	1.890,00 kn	1.417,50 kn

<https://www.youtube.com/watch?v=83GvltPvYf0>



HOMOGENIZATORI U SETU SA SONDAMA

TISSUE MASTER 125 W

Kat.br: TM125-220-10

Idealan za aplikacije emulzija i mekih tkiva

220 V Omni Tissue Master 125 W sa 10 mm sondom

Raspon rada sa volumenima 1,5 mL – 100 mL

Promjenjiva kontrola brzine: od 5.000 do 35.000 okr/min

<https://www.omni-inc.com/high-shear-lab-homogenizers/omni-tissuemaster-value-priced/tissue-master-125-watt-lab-homogenizer-w-probe-10mm.html>



TISSUE MASTER 125 W

Kat.br: TM125-220

Idealan za aplikacije emulzija i mekih tkiva


220 V Omni Tissue Master 125 W sa 7 mm sondom

Raspon rada sa volumenima 0,25 mL – 30 mL

Promjenjiva kontrola brzine: od 5.000 do 35.000 okr/min

<https://www.omni-inc.com/high-shear-lab-homogenizers/omni-tissuemaster-value-priced/tissue-master-125-watt-lab-homogenizer-w-probe-7mm.html>





BEAD RUPTOR 96 (BR 96)

Kataloški broj: 27-0002

PROMO CIJENA ZA CIJELI SET: 65.600,00 kn + PDV

Specifikacija

Kompatibilan za: kriogeno mljevenje, procesuiranje well plate, mljevenje u mikrocentrifugama i tubama sa čepom

Dodaci: posude od nehrđajućeg čelika (sealed), nosači za well plate i tube

Raspon rada: 25 uL do 50 mL

Raspon vremena: 1 s – 99 min

Većinu uzoraka procesuirala ispod 1 min

Mogućnost procesuiranja 384 uzorka po ciklusu

Digitalne kontrole osiguravaju ponovljivost

Integrirani sigurnosni poklopac



Idealan za:


-mljevenje kuglicama u 96 well plate & tubama

-suho mljevenje praškastih uzoraka

-kriogeno mljevenje čvrstih materijala uključujući plastiku, biljke, kosti i tkiva

-suho mljevenje žitarica, tla, praška, keramike i sl.

-rapidna ekstrakcija DNA, RNA ili proteina iz tkiva, bilja, stanica, kose, kostiju



BEAD RUPTOR 96 (BR 96)

+


25 mm Milling Balls - Set od 5

+

50 mL Milling Jars - Set od 2 + 2 o-ringa



<https://www.omni-inc.com/bead-mill-cell-lysing/bead-ruptor-96.html?tab=specifications>



HETTICH MIKRO 200R CENTRIFUGA SA HLAĐENJEM



HETTICH MIKRO 200R kat br 2405

- kapacitet: 30 x 2 ml
- max- RPM: 15.000 o / min
- max RCF: 21.382
- vrijeme vrtnje: 1 sec - 99 min: 59 sec - beskonačno, kontinuirano, kratki impuls vrtnje
- vanjske dimenzije: 260 x 281 x 553 mm
- hlađenje: - 10 - + 40 stupnjeva C



JAMSTVO: 2 GODINE




KUTNI ROTOR 2437

- kapacitet: 30 x 2 mL
- max: 15 000 rpm / 20 627 g
- kapacitet: 30 tubica



PROMO CIJENA ZA CIJELI SET: 33.331,00 kn + PDV



**U NASTAVKU SLIJEDI POPIS OPREME SA CIJENAMA KOJE
VRIJEDE DO ISTEKA ZALIHA**

**WHILE
STOCKS
LAST!**




**WHILE
STOCKS
LAST!**



Medical-Biological
Research & Technologies

**WHILE
STOCKS
LAST!**



MIKROSKOPI – CIJENE DO ISTEKA ZALIHA

BM -117 – MONOKULARNI MIKROSKOP

Consisting of:

- * Body with 3W LED illumination
- * Backward Quadruple revolving nosepiece.
- * Monocular / Binocular Head Head, 30° inclined, 360° rotatable
- * Coaxial Coarse & Fine Adjustment System, Range 24 mm, Fine Division 0,004 mm
- * Safety autofocus stop unit.
- * Abbe NA 1,2 Condenser with Iris Diaphragm & Filter
- * Power supply inbuilt,
- * Double Layers Mechanical Stage, 132 x 142 mm, Travel aerea 75 x 40 mm
- * Dust cover, blue+ green filter, immersion oil and instruction manual included.
- * Eyepiece WF 10x/18 Widefield 1 x for Monocular
- * DIN Objective Achromat 4x/0.10
- * DIN Objective Achromat 10x/0.25
- * DIN Objective Achromat 40x/0.65, spring loaded
- * DIN Objective Achromat 100x/1,25, spring loaded, Oil

**WHILE
STOCKS
LAST!**

KAT.BR. 1170.110



https://www.boeco.com/catalog/boeco-student-microscopes-16_en.pdf

CIJENA DO ISTEKA ZALIHA : 1.938,00 kn + PDV

**MIKROSKOPI – CIJENE DO ISTEKA ZALIHA****Model 10****Specifikacije:**

Optička glava: Monokularna, 45° nagib

Revolver: Revolver sa tri mjesta (3 objektiva)

Okular: WF 10X /18 mm

Objektivi: Akromatski DIN Objektivi 4x/0.10, 10x/0.25, 40x/0.65

Nosač: Dvoslojni mehanički nosač uzorka. 110 x 120 mm

Zona pokretanja 60 x 30 mm

Fokusiranje: Gruba i kalibrirano fina fokusna kontrola. Totalni opseg fokusiranja 10 mm.

Kondenzer: Abbè Brightfield kondenzor, n.A. 1.25, integrirana iris dijafragma, plavi filter i zupčasti podešavač visine.

Osvetljenje: 1W LED lampa, podesivo osvetljenje

U kompletu sa: Ogledalom, zaštitnom pokrivkom, rezervnom lampom i osiguračem

Kat.broj: BOE 1000.030; Model: 10




**WHILE
STOCKS
LAST!**



**WHILE
STOCKS
LAST!**

https://www.boeco.com/catalog/boeco-student-microscopes-16_en.pdf

CIJENA DO ISTEKA ZALIHA : 1.230,00 kn + PDV



HOMOGENIZATOR U SETU SA SONDAMA

TISSUE HOMOGENIZATOR –TH

- raspon volumena rada od 0,20 mL do 100 mL (zavisno o odabranoj sondi)
- idealna za aplikacije sa tkivima, emulzijama, suspenzijama, ekstrakcijama proteina te u mnogim medicinskim istraživanjima
- najčešće procesuirati uzorak u manje od 30 sekundi
- raspon brzine od 5.000 do 35.000 okr/min
- brza i lagana izmjena sondi generatora

**WHILE
STOCKS
LAST!**



<https://www.omni-inc.com/omni-tissue-homogenizer-th.html>

SONDA : G7-115ST



Raspon rada volumena :0.25 mL - 30 mL

Promjer: 7 mm

Dužina sonde: 115 mm

Saw Tooth

<https://www.omni-inc.com/7mm-x-115mm-saw-tooth-fine-generator-probe.html>

**PROMO CIJENA HOMOGENIZATOR + SONDA:
7.999,00 kn + PDV**

TUBE SA KUGLICAMA 19-610**CIJENA: 899,00 kn + PDV****Hard Tissue Grinding Mix (1.5 mL)**

Bead Ruptor bead beating tubes are pre-filled with an optimized amount of lysing matrix to provide efficient and high yield sample homogenates.

- 1.5 mL polypropylene microtubes pre-filled with 2.4 mm metal beads
- Retaining cam ensures a secure seal
- Wide hinge for easy and precise closure
- Recommended for: hard tissues, dry grinding, skin, muscle, bone, hair, roots and seeds
- Certification: RNase & DNase Free

Ordering Information: Unit includes 50 bead beating tubes prefilled with 2.4 mm metal beads



<https://www.omni-inc.com/hard-tissue-grinding-mix-1-5ml-tubes-50-pack.html>

**WHILE
STOCKS
LAST!**


TUBE SA KUGLICAMA 19-618**CIJENA: 899,00 kn + PDV****Hard Tissue Homogenizing Mix (1.5 mL)**

Bead Ruptor bead beating tubes are pre-filled with an optimized amount of lysing matrix to provide efficient and high yield sample homogenates.

- 1.5 mL polypropylene microtubes pre-filled with 2.8 mm ceramic beads
- Retaining cam ensures a secure seal
- Wide hinge for easy and precise closure
- Recommended for: hard tissues, heart, muscle, skin, tendon, tail, whole organs and hard plant material
- Certification: RNase & DNase Free

Ordering Information: Unit includes 50 bead beating tubes prefilled with 2.8 mm ceramic beads





KUGLICE 19-645

CIJENA: 1.775,00 kn + PDV


1.4 mm Ceramic Beads Bulk

•

Quantity: 325 g

•Recommended for: soft tissues, brain, liver, kidney, spleen, and soft plant material

•Certification: RNase & DNase Free



<https://www.omni-inc.com/1-4mm-zirconium-ceramic-oxide-bulk-beads.html>

KUGLICE 19-646

CIJENA: 1.775,00 kn + PDV

2.8 mm Ceramic Beads Bulk

•

Quantity: 325 g

•Recommended for: hard tissues, heart, muscle, skin, tendon, tail, whole organs and hard plant material

•Certification: RNase & DNase Free



<https://www.omni-inc.com/2-8mm-zirconium-ceramic-oxide-bulk-beads.html>

TUBE SA KUGLICAMA 19-6508

CIJENA: 1.775,00 kn + PDV

Hard Tissue Homogenizing Mix (50 mL Tubes) - 50 Pack

Bead Ruptor bead beating tubes are pre-filled with an optimized amount of lysing matrix to provide efficient and high yield sample homogenates.

Product Features:

- 50 mL polypropylene screw cap tubes pre-filled with 2.8 mm ceramic beads
- Recommended for: tough and fibrous plant material, hard tissues, seeds and feed
- Max centrifuge speed of 5,000 x g
- Max processing force of 6 m/s

Ordering Information: Unit includes 50 bead beating tubes pre-filled with 2.8 mm ceramic beads



<https://www.omni-inc.com/hard-tissue-homogenizing-mix-50-ml-tubes-50-pack.html>